

## Heavy Duty Winch Posts

Pitch divider systems allow the playing surface to be divided up into sections. Designed to be installed outside of the perimeter fence and can hang netting with minimal sag over a span of up to 63m.

- 100mm square posts manufactured from 4mm galvanised steel that are polyester powder coated green, other colours available POA
- Winch post is fitted with a high specification brake winch and top pulley wheel
- Anchor post complete with pulley wheel and cleat
- Winch has enclosed gears for added safety, detachable handle and a maximum load rating restricted to 100kg

Available in the following out of ground heights:

**2.7m high posts**  
72kg per set

**FBL-107**

**3m high posts**  
80kg per set

**FBL-108**

**3.6m high posts**  
95kg per set

**FBL-109**

*Pitch divider posts must be installed in a minimum 1 metre cube of concrete, consult a construction engineer for advice where required. The posts are designed to be concreted directly in the ground but ground sockets can be supplied separately at an additional cost.*

## Pitch Divider Post Socket

914mm deep sockets with a 103mm square internal face

**BAS-045**



## Economy Winch System

Designed to be installed outside of the perimeter fence and can hang netting with minimal sag over a span of up to 63m.

- 100mm sq. posts manufactured from 4mm thick galvanised steel that are polyester powder coated green
- Winch post is fitted with an economy winch and top pulley wheel
- Dummy post complete with pulley wheel and cleat
- Winch has exposed mechanism and a maximum load rating of up to 350kg *(Please note load rating is not restricted and can be over tightened)*

Available in the following out of ground heights:

**2.7m high posts**  
72kg per set

**FBL-111**

**3m high posts**  
80kg per set

**FBL-112**

**3.6m high posts**  
95kg per set

**FBL-113**

*To help alleviate billowing of the net we recommend the use of a bottom band with sewn in 20mm rope.*

## Net Storage Pouch

PVC storage pouch designed to fix to weld-mesh fences. The pouch allows for easy storage of the divider netting protecting it against unnecessary wear and tear when not in use.

- One 1020mm high x 1440mm wide black PVC pouch complete with 2 x fixing plates and Antiluce fasteners for ease of use
- 4 drainage holes along bottom edge to eliminate water build up
- Pouch designed to take netting of up to 65 linear metres

**FBL-105**

## No.16 2mm Thick Netting

50mm square mesh, UV resistant, 2.0mm thick black polypropylene netting with selvedged edges  
*Allow 2.5% extra on overall length of netting*  
2.7m high per metre **CRK-011**  
3.0m high per metre **CRK-012**  
3.6m high per metre **CRK-014**

**4mm Pitch Divider Wire WIR-100**

**Stainless Steel Split Rings SPI-310**

**Dog Clips CRK-300**

**Bottom Band with 20mm Rope CRK-302**

**Polyethylene 6mm Rope CRK-039**

### Premier Curved Team Shelters

The Premier Curved Team Shelter is available in 8, 10 and 12 seat versions. All shelters are 2.05 metres high allowing full standing access, with a total external depth of 1.57 metres and an internal depth of 1.3 metres. Shelters are available as floor fixed or socketed options with a choice of red or blue seats.

- Manufactured from 50 x 50mm bespoke aluminium extrusion
- Polyester powder coated white
- 4mm thick clear copolyester side and back sheets
- Individual injection moulded polypropylene seats

#### 4m Shelter - 8 Person

183kg per shelter

with red seats      with blue seats

**SHE-010**

**SHE-015**

#### 5m Shelter - 10 Person

218kg per shelter

with red seats      with blue seats

**SHE-020**

**SHE-025**

#### 6m Shelter - 12 Person

252kg per shelter

with red seats      with blue seats

**SHE-030**

**SHE-035**

### Socketed Curved Team Shelters

Specification as above, but with 4 extended legs and sockets.

#### 4m Socketed Shelter - 8 Person

192kg per shelter

with red seats      with blue seats

**SHE-011**

**SHE-016**

#### 5m Socketed Shelter - 10 Person

223kg per shelter

with red seats      with blue seats

**SHE-021**

**SHE-026**

#### 6m Socketed Shelter - 12 Person

257kg per shelter

with red seats      with blue seats

**SHE-031**

**SHE-036**



©Copyright 2009



☒ 6m Shelter front view



☒ 6m Shelter rear view

### Team Shelter Anchor

Complete with two 460mm deep sockets, 100mm sq galvanised steel support posts and anchorage arms to secure one shelter of any length.

**ANC-015**



☒ 6m Shelter with Team Shelter Anchor

### Officials Curved Shelters

Specification as per Premier Curved Team Shelters, except all 1m wide.

#### 1m Shelter - 2 Person

80kg per shelter

with red seats      with blue seats

**SHE-040**

**SHE-045**

#### 1m Socketed Shelter - 2 Person

85kg per shelter

with red seats      with blue seats

**SHE-041**

**SHE-046**

#### Spirafix Kit

4.4kg per set 5 anchors

**ANC-012**

SHELTERS MUST BE ANCHORED AT ALL TIMES SEE PAGE 5 FOR DETAILS



## Aluminium Team Shelters

1.9m high front x 1.72m high rear x 0.9m deep.

- Made from 50 x 50mm and 75 x 25mm aluminium
- Frame is polyester powder coated white
- 10mm thick multi-wall polycarbonate top and back panels
- 3mm shatter proof polycarbonate sides
- Aluminium flashing provides a neat finish
- Freestanding with fixing lugs, shelters must be secured at all times
- Bottom bars are 100mm off the ground to aid ventilation
- Hardwearing PVC bench seats
- Screen printing available - price on application. Please note we require hi-resolution digital files for all logos

**2.5m Five Person Shelter**  
83kg per shelter

**SHE-002**

**4m Eight Person Shelter**  
114kg per shelter

**SHE-004**



☒ 4m Aluminium Team Shelter

## Socketed Team Shelters

Specification as per aluminium team shelter, but with 4 extended legs and sockets.

**2.5m Socketed Five Person Shelter**  
101kg per shelter

**SHE-003**

**4m Socketed Eight Person Shelter**  
132kg per shelter

**SHE-005**

*Please note: All team shelters are self assembly. Team Shelters must be anchored correctly at all times. The socketed option must have ground sockets concreted in as per instructions and freestanding versions should be fixed using suitable anchors such as spirafix. Please contact the sales office for further details.*



☒ 2.5m Aluminium Team Shelter



**Spirafix Kit for 2.5m Shelter**  
3.6kg per set 4 anchors

**ANC-013**

**Spirafix Kit for 4m Shelter**  
4.4kg per set 5 anchors

**ANC-012**



**Harrod UK provide a full delivery and assembly service for synthetic pitch equipment. Our skilled team of fitters can deliver and erect any product from our range of freestanding equipment, and can offer anchorage and maintenance advice whilst on site. Please contact our sales office for a quotation.**



Harrod UK manufacture a wide range of aluminium equipment which is ideally suited to synthetic surfaces. Aluminium equipment is strong, non-rusting, lightweight and under normal use will not damage the surface. Safety and maintenance information is supplied with all products and if you require further information on safety, visit the goal post safety pages on our website at [www.harrod.uk.com](http://www.harrod.uk.com)

